Journal of Biomedical Materials Research
Author Index—Volume 67A

Abdul-Malak, N. See Parisel, C., 517
Affrossman, S. See Dalby, M. J., 1025
Agee, K. A. See Eddleston, C. L., 900
Ajello, M. See Berlutti, F., 18
Akagi, M. See Yoshii, S., 467
Akaike, T. See Chung, J.-H., 1055
—; See Hong, S. R., 733
—; See Kim, S.-H., 1351
Akashi, M. See Ogomi, D., 1360
—; See Serizawa, T., 1060
Alarcon, J. See Prabhakar, V., 303
Aldini, N. N. See Giavaresi, G., 112
Alexander, P. G. See Li, W.-J., 1104
Altman, G. H. See Chen, J., 559
Ambrosio, L. See Sanino, A., 1016
Anderson, J.
—; Sanchez, J.; Nilsson Ekdahl, K.; Elgue, G.; Nilsson, B.; Larsson, R.: Optimal heparin surface concentration and antithrombin binding capacity as evaluated with human non-anticoagulated blood *in vitro*, 458
André, V. See Parisel, C., 517
Anseth, K. S. See Bryant, S. J., 1430
Antonini, G. See Berlutti, F., 18
Aoyama, J. See Tanaka, E., 761
Arnold, U.
—; Schweitzer, S.; Lindenhayn, K.; Perka, C.: Optimization of bone engineering by means of growth factors in a three-dimensional matrix, 265
Aro, H. T. See Itälä, A., 496
Arola, D. D.
—; Rouland, J. A.: The effects of tubule orientation on fatigue crack growth in dentin, 78
Au, A.
—; Ha, J.; Polotsky, A.; Krzyminski, K.; Gutowska, A.; Hungerford, D. S.; Frondoza, C. G.: Thermally reversible polymer gel for chondrocyte culture, 1310

Baek, J.-H. See Chung, J.-H., 1055
Bačáková, L. See Heitz, J., 130
Balossier, G. See Josset, Y., 1205
Bancroft, G. N. See Sikavitsas, V. I., 944
Barbosa, M. A. See Martins, M. C. L., 158
Barbotin, J.-N. See Bienaimé, C., 376
Barros, V. M. R.
—; Rosa, A. L.; Beloti, M. M.; Chierice, G.: *In vivo* biocompatibility of three different chemical compositions of *Ricinus communis* polyurethane, 235
Bäuerle, D. See Heitz, J., 130
Baumann, M. J. See Shu, R., 1196
Bearinger, J. P.
—; Orme, C. A.; Gilbert, J. L.: Effect of Hydrogen peroxide on titanium surfaces: *In situ* imaging and step-polarization impedences spectroscopy of commercially pure titanium and titanium, 6-aluminum, 4-vanadium, 702
Becchetti, E. See Marinucci, L., 504
Beckman, E. J. See Zhang, J., 389
Beckstead, B. L. See Cuy, J. L., 538
Behar-Cohen, F. See Einmahl, S., 44
Behravesh, E., 87
Bei, J. See Yang, J., 1139
Bejjani, R. A. See Einmahl, S., 44
Belcastro, S. See Marinucci, L., 504
Beloti, M. M. See Barros, V. M. R., 235
Bengtsson, T. See Nimeri, G., 439
Berlutti, F.
—; Rosso, F.; Bosso, P.; Giansanti, F.; Ajello, M.; De Rosa, A.; Farina, E.; Antonini, G.; Valenti, P.: Quantitative evaluation of bacteria adherent to polyelectrolyte HEMA-based hydrogels, 18
Berry, J. E. See Jin, Q.-M., 54
Best, S. M. See Juhasz, J. A., 952
Beutner, R. See Bierbaum, S., 421
Bezemer, J. M. See van Dijkhuizen-Radersma, R., 1294
Bienaimé, C.
—; Barbotin, J.-N.; Nava-Saucedo, J.-E.: How to build an adapted and bioactive cell microenvironment? A chemical interaction study of the strcture of Ca-alginate matrices and their repercussion on confined cells, 376
Bierbaum, S.
—; Beutner, R.; Hanke, T.; Scharnweber, D.; Hempel, U.; Worch, H.: Modification of Ti6A14V surfaces using collagen I, III, and fibronectin. I. Biochemical and morphological characteristics of the adsorbed matrix, 421
—; Hempel, U.; Geißler, U.; Hanke, T.; Scharnweber, D.; Wenzel, K.-W.; Worch, H.: Modification of Ti6A14V surfaces using collagen I, III, and fibronectin. II. Influence on osteoblast responses, 431
Bjursten, M. See Rosengren, A., 918
Blaker, J. J.
—; Gough, J. E.; Maquet, V.; Notingher, I.; Boccaccini, A. R.: *In vitro* evaluation of novel bioactive composites based on Bioglass®-filled polyactide foams for bone tissue engineering scaffolds, 1401
Bobyn, J. D. See Catelas, I., 312
Boccaccini, A. R. See Blaker, J. J., 1401
Böhni, H. See Contu, F., 246
Bonfield, W. See Juhasz, J. A., 952
Bosso, P. See Berlutti, F., 18
Botchwey, E. A.
—; Dupree, M. A.; Pollack, S. R.; Levine, E. M.; Laurencin, C. T.: Tissue engineered bone: Measurement of nutrient tranport in three-dimensional matrices, 357
Boudeville, P. See El Briak-BenAbdeslam, H., 927
Brash, J. L. See Cornelius, R. M., 475
Breschi, L.
—; Gobbi, P.; Lopes, M.; Prati, C.; Falconi, M.; Teti, G.; Mazzotti, G.: Immunocytochemical analysis of dentin: A double-labeling technique, 11
Brouwer, L. A. See Pêgo, A. P., 1044
Brown, C. D. See Cuy, J. L., 538
Bryant, S. J.
—; Durand, K. L.; Anseth, K. S.: Manipulaitons in hydrogel chemistry contol photoencap-

Journal of Biomedical Materials Research
Author Index—Volume 67A

Abdul-Malak, N. See Parisel, C., 517
Affrossman, S. See Dalby, M. J., 1025
Agee, K. A. See Eddleston, C. L., 900
Ajello, M. See Berlutti, F., 18
Akagi, M. See Yoshii, S., 467
Akaike, T. See Chung, J.-H., 1055
—; See Hong, S. R., 733
—; See Kim, S.-H., 1351
Akashi, M. See Ogomi, D., 1360
—; See Serizawa, T., 1060
Alarcon, J. See Prabhakar, V., 303
Aldini, N. N. See Giavaresi, G., 112
Alexander, P. G. See Li, W.-J., 1104
Altman, G. H. See Chen, J., 559
Ambrosio, L. See Sanino, A., 1016
Anderson, J.
—; Sanchez, J.; Nilsson Ekdahl, K.; Elgue, G.; Nilsson, B.; Larsson, R.: Optimal heparin surface concentration and antithrombin binding capacity as evaluated with human non-anticoagulated blood *in vitro*, 458
André, V. See Parisel, C., 517
Anseth, K. S. See Bryant, S. J., 1430
Antonini, G. See Berlutti, F., 18
Aoyama, J. See Tanaka, E., 761
Arnold, U.
—; Schweitzer, S.; Lindenhayn, K.; Perka, C.: Optimization of bone engineering by means of growth factors in a three-dimensional matrix, 265
Aro, H. T. See Itälä, A., 496
Arola, D. D.
—; Rouland, J. A.: The effects of tubule orientation on fatigue crack growth in dentin, 78
Au, A.
—; Ha, J.; Polotsky, A.; Krzyminski, K.; Gutowska, A.; Hungerford, D. S.; Frondoza, C. G.: Thermally reversible polymer gel for chondrocyte culture, 1310

Baek, J.-H. See Chung, J.-H., 1055
Bačáková, L. See Heitz, J., 130
Balossier, G. See Josset, Y., 1205
Bancroft, G. N. See Sikavitsas, V. I., 944
Barbosa, M. A. See Martins, M. C. L., 158
Barbotin, J.-N. See Bienaimé, C., 376
Barros, V. M. R.
—; Rosa, A. L.; Beloti, M. M.; Chierice, G.: *In vivo* biocompatibility of three different chemical compositions of *Ricinus communis* polyurethane, 235
Bäuerle, D. See Heitz, J., 130
Baumann, M. J. See Shu, R., 1196
Bearinger, J. P.
—; Orme, C. A.; Gilbert, J. L.: Effect of Hydrogen peroxide on titanium surfaces: *In situ* imaging and step-polarization impedences spectroscopy of commercially pure titanium and titanium, 6-aluminum, 4-vanadium, 702
Becchetti, E. See Marinucci, L., 504
Beckman, E. J. See Zhang, J., 389
Beckstead, B. L. See Cuy, J. L., 538
Behar-Cohen, F. See Einmahl, S., 44
Behravesh, E., 87
Bei, J. See Yang, J., 1139
Bejjani, R. A. See Einmahl, S., 44
Belcastro, S. See Marinucci, L., 504
Beloti, M. M. See Barros, V. M. R., 235
Bengtsson, T. See Nimeri, G., 439
Berlutti, F.
—; Rosso, F.; Bosso, P.; Giansanti, F.; Ajello, M.; De Rosa, A.; Farina, E.; Antonini, G.; Valenti, P.: Quantitative evaluation of bacteria adherent to polyelectrolyte HEMA-based hydrogels, 18
Berry, J. E. See Jin, Q.-M., 54
Best, S. M. See Juhasz, J. A., 952
Beutner, R. See Bierbaum, S., 421
Bezemer, J. M. See van Dijkhuizen-Radersma, R., 1294
Bienaimé, C.
—; Barbotin, J.-N.; Nava-Saucedo, J.-E.: How to build an adapted and bioactive cell microenvironment? A chemical interaction study of the strcture of Ca-alginate matrices and their repercussion on confined cells, 376
Bierbaum, S.
—; Beutner, R.; Hanke, T.; Scharnweber, D.; Hempel, U.; Worch, H.: Modification of Ti6A14V surfaces using collagen I, III, and fibronectin. I. Biochemical and morphological characteristics of the adsorbed matrix, 421
—; Hempel, U.; Geißler, U.; Hanke, T.; Scharnweber, D.; Wenzel, K.-W.; Worch, H.: Modification of Ti6A14V surfaces using collagen I, III, and fibronectin. II. Influence on osteoblast responses, 431
Bjursten, M. See Rosengren, A., 918
Blaker, J. J.
—; Gough, J. E.; Maquet, V.; Notingher, I.; Boccaccini, A. R.: *In vitro* evaluation of novel bioactive composites based on Bioglass®-filled polyactide foams for bone tissue engineering scaffolds, 1401
Bobyn, J. D. See Catelas, I., 312
Boccaccini, A. R. See Blaker, J. J., 1401
Böhni, H. See Contu, F., 246
Bonfield, W. See Juhasz, J. A., 952
Bosso, P. See Berlutti, F., 18
Botchwey, E. A.
—; Dupree, M. A.; Pollack, S. R.; Levine, E. M.; Laurencin, C. T.: Tissue engineered bone: Measurement of nutrient tranport in three-dimensional matrices, 357
Boudeville, P. See El Briak-BenAbdeslam, H., 927
Brash, J. L. See Cornelius, R. M., 475
Breschi, L.
—; Gobbi, P.; Lopes, M.; Prati, C.; Falconi, M.; Teti, G.; Mazzotti, G.: Immunocytochemical analysis of dentin: A double-labeling technique, 11
Brouwer, L. A. See Pêgo, A. P., 1044
Brown, C. D. See Cuy, J. L., 538
Bryant, S. J.
—; Durand, K. L.; Anseth, K. S.: Manipulaitons in hydrogel chemistry contol photoencap-

sulated chondrocyte behavior and their extracellular matrix production, 1430
Bryers, J. D. See Klueh, U., 36
Bujan, J. See Spina, M., 1338
Bumgardner, J. D. See Winter, L. C., 1269
Bünger, C. M.
—; Gerlach, C.; Freier, T.; Schmitz, Pilz, M.; Werner, C.; Jonas, L.; Schareck, W.; Hopt, U. T.; de Vos, P.: Biocompatibilty and surface structure of chemically modified immunoisolating alginate–PLL capsules, 1219
Burmania, J. A.
—; Martinez-Diaz, G. J.; Kao, W. J.: Synthesis and physiochemical analysis of interpenetrating networks containing modified gelatin and poly(ethylene glycol) diacrylate, 224
Busscher, H. J. See van Hoogmoed, C. G., 172
Butler, D. L. See Hunter, S. A., 1245

Caldwell, R. A.
—; Vyavahare, N.; Langan, E. M., III; LaBerge, M.: Matrix metalloproteinase inhibitor within an absorbable coating for vascular applications: Delivery device characterization and the reduction of smmoth muscle cell proliferation and migration, 1
Calvert, P. D. See Liu, Y., 1155
Calvi, E. M. See Marinucci, L., 504
Carroll, W. M.
—; Kelly, M. J.: Corrosion behavior of nitinol wires in body fluid environments, 1123
Carvalho, R. M. See Eddleston, C. L., 900
Casarotto, D. See Spina, M., 1338
Castner, D. G. See Xia, N., 179
Catelas, I.
—; Bobyn, J. D.; Medley, J. B.; Krygier, J. J.; Zukor, D. J.; Huk, O. L.: Size, shape, and composition of wear particles from metal–metal hip simulator testing: Effects of alloy and number of loading cycles, 312
Cavin, R. See Yang, Y., 344
Celotti, G. See Tampieri, A., 618
Chang, E. See Yang, Y. C., 886
Chellat, F. See Manceur, A., 641
Chen, A. M.
—; Scott, M. D.: Immunocamouflage: Prevention of transfusion-induced graft-*versus*-host disease via polymer grafting of donor cells, 626
Chen, C.-C. See Tyan, Y.-C., 1033
Chen, G.
—; Sato, T.; Ushida, T.; Hirochika, R.; Shirasaki, Y.; Ochiai, N.; Tateishi, T.: The use of a novel PLGA fiber/collagen composite web as a scaffold for engineering of articular cartilage tissue with adjustable thickness, 1170
Chen, J.
—; Altman, G. H.; Karageorgiou, V.; Horan, R.; Collette, A.; Volluch, V.; Colabro, T.; Kaplan, D. L.: Human bone marrow stromal cell and ligament fibroblast responses on RGD-modified silk fibers, 559
—; See Farhat, W., 970
Chen, M.
—; Zamora, P. O.; Peña, L.; Som, P.; Osaki, S.: NH_3/O_2 mixed gas plasmas alter the interaction of blood componenets with stainless steel, 994
Chen, V. J. See Woo, K. M., 531
Chen, Y.-S. See Liu, B.-S., 1163
Cheng, S.-I.
—; Zhang, J.-T.; Zhuo, R.-X.: Macroporous poly(N-isopropylacrylamide) hydrogels with fast response rates and improved protein release properties, 96
Chierice, G. See Barros, V. M. R., 235
Chiesa, R. See Giavaresi, G., 112
Chinen, N.
—; Tanihara, M.; Nakagawa, M.; Shinozaki, K.; Yamamoto, E.; Mizushima, Y.; Suzuki, Y.: Action of microparticles of heparin and alginate crosslinked gel when used as injuectable artifial matrices to stabilize basic fibroblast growth factor and induce angiogenesis by controlling it's release, 61
Choi, S.-H. See Oh, S.-H., 104
Choi, S.-Y. See Oh, S.-H., 104
Choung, P.-H. See Chung, J.-H., 1055
Choung, Y.-H. See Chung, J.-H., 1055
Chu, J. See Phan, P. V., 1001
Chumlyakov, Y. See Manceur, A., 641
Chung, I.-H. See Chung, J.-H., 1055
Chung, J.-H.
—; Park, K.-H.; Seo, B.-M.; Kim, E.-S.; Hong, J.-R.; Chung, I.-H.; Kang, N.; Baek, J.-H.; Min, B.-M.; Choung, Y.-H.; Akaike, T.; Choung, P.-H.: Determination of specific interactions between glucose ligand carrying polymer and glucose transporter type-1 (GLUT-1) using different cell types, 1055
Chung, J. K. See Park, Y. J., 751
Cigada, A. See Giavaresi, G., 112
Clare, A. G. See Clupper, D. C., 285
Clupper, D. C.
—; Gough, J. E.; Hall, M. M.; Clare, A. G.; LaCourse, W. C.; Hench, L. L.: *In vitro* bioactivity of S520 glass fibers and initial assessment of osteoblast attachment, 285
Cogan, S. F.
—; Edell, D. J.; Guzelian, A. A.; Liu, Y. P.; Edell, R.: Plasma-enhanced chemical vapor deposited silicon carbide as an implantable dielectric coating, 856
Colabro, T. See Chen, J., 559
Collette, A. See Chen, J., 559
Connell, M. See Huang, Y.-C., 1384
Contu, F.
—; Elsener, B.; Böhni, H.: Characterization of implant meterials in fetal bovine serum and sodium sulfate by electrochemical impedance spectroscopy. II. Coarsely sandblasted samples, 246
Cornelius, R. M.
—; Sanchez, J.; Olsson, P.; Brash, J. L.: Interactions of antithrombin and proteins in the plasma contact activation system with immobilized functional heparin, 475
Courtman, D. See Farhat, W., 970
Cozzolino, A. See Sanino, A., 1016
Cui, J. See Yin, Y., 844
Curtis, A. S. G. See Dalby, M. J., 1025
Cutrone, R. M. See McDevitt, C. A., 637
Cuy, J. L.
—; Beckstead, B. L.; Brown, C. D.; Hoffmam, A. S.; Giachelli, C. M.: Adhesive protein interactions with chitosan: Consequences for valve endothelial cell growth on thissue-engineering materials, 538
Cyster, L. A.
—; Parker, K. G.; Parker, T. L.; Grant, D. M.: The effect of surface chemistry and nanotopography of titanium nitride (TiN) films on 3T3-L1 fibroblasts, 138

Dalby, M. J.
—; Riehle, M. O.; Johnstone, H. J. H.; Affrossman, S.; Curtis, A. S. G.: Nonadhesive nanotopography: Fibroblast response to poly(*n*-butyl methacrylate)–poly(styrene) demixed surface features, 1025

Daliri, M. See Mirzadeh, H., 727
Danielson, K. G. See Li, W.-J., 1104
Dawson, K. A. See Wilson, S. J., 667
Deb, S.
—; Lewis, G.; Janna, S. W.; Vazquez, B.; San Roman, J.: Fatigue, and fracture toughness of acrylic bone cements modified with long-chain amine activators, 571
Deenen, M. See Pêgo, A. P., 876
de Groot, K. See Liu, Y., 1155
—; See van Dijkhuizen-Radersma, R., 1294
de Groot, M.
—; Leuvenink, H. G. D.; Keizer, P. P. M.; Fekken, S.; Schuurs, T. A.; van Schilfgaarde, R.: Effective removal of alginate-poly-L-lysine microcapsules from pancreatic islets by use of trypsin–EDTA, 679
Delandes, Y. See Merrett, K., 981
del Pozo, R. See Tanaka, E., 761
Deng, Y.
—; Miranda, P.; Pajares, A.; Guiberteau, F.; Lawn, B. R.: Fracture of ceramic/ceramic/polymer trilayers for biomechanical applications, 828
Denuzière, A. See Sorlier, P., 766
De Rosa, A. See Berlutti, F., 18
—; See Sanino, A., 1016
Desai, T. A. See Motlagh, D., 148
—; See Tao, S. L., 369
de Vos, P. See Bünger, C. M., 1219
—; See van Hoogmoed, C. G., 172
de Wijn, J. See van Dijkhuizen-Radersma, R., 1294
D'Hermies, F. See Einmahl, S., 44
DiMilla, P. A. See Goldstein, A. S., 658
Dohi, Y. See Ikeuchi, M., 1115
Doll, B. A. See Zhang, J., 389
Domard, A. See Sorlier, P., 766
Doremus, R. H. See Webster, T. J., 975
Dorozhkin, S. V. See Dorozhkina, E. I., 578
Dorozhkina, E. I.
—; Dorozhkin, S. V.: Structure and properties of the precipitates formed from condensed solutions of the revised simulated body fluid, 578
Dorsky, D. I. See Klueh, U., 838, 1072
Dubé, M. A. See Merrett, K., 981
Dufour-Mallet, O. See Josset, Y., 1205
Dunn, M. G. See Ohan, M. P., 1188
Dupont-Gillain, C. C.
—; Fauroux, C. M. J.; Gardner, D. C. J.; Leggett, G. J.: Use of AFM to probe the adsorption strength and time-dependent changes of albumin on self-assembled monolayers, 548
Dupree, M. A. See Botchwey, E. A., 357
Durand, K. L. See Bryant, S. J., 1430
Dutta Roy, T.
—; Simon, J. L.; Ricci, J. L.; Rekow, D.; Thompson, V. P.; Parsons, J. R.: Performance of hydroxyapatite bone repair scaffolds created via three-dimensional fabrication techniques, 1228
Dvořánková, B. See Heitz, J., 130

Eddleston, C. L.
—; Hindle, A. R.; Agee, K. A.; Carvalho, R. M.; Tay, F. R.; Rueggeberg, F. A.; Pashley, D. H.: Dimensional changes in acid-demineralized dentin matrices following the use of HEMA–alcohol primers, 900
Edell, D. J. See Cogan, S. F., 856
Edell, R. See Cogan, S. F., 856
Einmahl, S.
—; Ponsart, S.; Bejjani, R. A.; D'Hermies, F.; Savoldelli, M.; Heller, J.; Tabatabay, C.; Gurny, R.; Behar-Cohen, F.: Ocular biocompatability of a poly(ortho ester) characterized by autocatalyzed degradation, 44
El Briak-BenAbdeslam, H.
—; Mochales, C.; Ginebra, M. P.; Nurit, J.; Planell, J. A.; Boudeville, P., 927
El-Ghannam, A. See Phan, P. V., 1001
Elgue, G. See Andersson, J., 458
Ellingsen, J. E. See Rønold, H. J., 524
El Messlemani, A. See Spina, M., 1338
Elsner, B. See Contu, F., 246
Elwing, H. See Nimeri, G., 439
Erdeljan, P. See Farhat, W., 970
Ergun, C. See Webster, T. J., 975
Esposito, A. See Sanino, A., 1016

Falconi, M. See Breschi, L., 11
Falini, G. See Tampieri, A., 618
Fan, Z.
—; Rho, J.-Y.: Effects of viscoelasticity and time-dependent plasticity on nanoindentation measurements of human cortical bone, 208
—; See Xu, J., 719
Farhat, W.
—; Chen, J.; Erdeljan, P.; Shemtov, O.; Courtman, D.; Khoury, A.; Yeger, H.: Porosity of porcine bladder, acellular matrix: Impact of ACM thickness, 970
Farina, E. See Berlutti, F., 18
Fauroux, C. M. J. See Dupont-Gillain, C. C., 548
Feijen, J. See Pêgo, A. P., 876, 1044
Fekken, S. See de Groot, M., 679
Fini, M. See Giavaresi, G., 112
Freier, T. See Bünger, C. M., 1219
Frondoza, C. G. See Au, A., 1310
—; See Phan, P. V., 1001
Fujibayashi, S. See Nishiguchi, S., 26

Galis, Z. S. See Johnson, C., 775
Gallacher, A. See Szymanski-Exner, A., 510
Gallagher, W. M. See Wilson, S. J., 667
Ganapathy, R. See Martin, S. M., 334
Gandaglia, A. See Spina, M., 1338
Gao, C. See Zhu, Y., 1367
Gao, J. See Szymanski-Exner, A., 510
García, A. J. See Reyes, C. D., 328
Garcia-Honduvilla, N. See Spina, M., 1338
Gardner, D. C. J. See Dupont-Gillain, C. C., 548
Gattegno, L. See Parisel, C., 517
Geißler, U. See Bierbaum, S., 431
Gerlach, C. See Bünger, C. M., 1219
Gerosa, G. See Spina, M., 1338
Giachelli, C. M. See Cuy, J. L., 538
—; See Martin, S. M., 334
Giachelli, M. See Gilbert, M., 69
Giannobile, W. V. See Jin, Q.-M., 54
Giansanti, F. See Berlutti, F., 18
Giardino, R. See Giavaresi, G., 112
Giavaresi, G.
—; Fini, M.; Cigada, A.; Chiesa, R.; Rondelli, G.; Rimondini, L.; Aldini, N. N.; Martini, L.; Giardino, R.: Histomorphometric and microhardnes assessments of sheep cortical bone surrounding titanium implants with different surface treatments, 112
Gil, F. J. See Vallet-Regí, M., 674
Gilbert, L. See Bearinger, J. P., 702
Gilbert, M.
—; Giachelli, M.; Stayton, S.: Biomimetric peptides that engage specific integrin-dependent signaling pathways and bind to calcium phosphate surfaces, 69
Ginebra, M. P. See El Briak-BenAbdeslam, H., 927
Ginebra, M.-P. See Navarro, M., 1009

Gobbi, P. See Breschi, L., 11
Gobin, A. S.
—; West, J. L.: Val-ala-pro-gly, an elastin-derived non-integrin ligand: Smooth muscle cell adhesion and specificity, 255
Gogolewski, S. See Gorna, K., 813
Goldstein, A. S.
—; DiMilla, P. A.: Examination of membrane rupture as a mechanism for mammalian cell detachment from fibronectin-coated biomaterials, 658
Gomes, M. E.
—; Sikavitsas, V. I.; Behravesh, E.; Reis, R. L.; Mikos, G.: Effect of flow perfusion on the osteogenic differentiation of bone marrow stromal cells cultered on starch-based three-dimensional scaffolds, 87
Gorbet, M. B.
—; Sefton, M. V.: Material-induced tissue factor expression but not CD11b upregulation depends on the presence of platelets, 792
Gorelov, A. V. See Wilson, S. J., 667
Gorna, K.
—; Gogolewski, S.: Preparation, degradation, and calcification of biodegradable polyurethane foams for bone graft substitutes, 813
Gotzen, L. See Hofmann, A., 191
Gough, J. E. See Blaker, J. J., 1401
—; See Clupper, D. C., 285
Grant, D. M. See Cyster, L. A., 138
Graz, I. See Heitz, J., 130
Griffith, C. M. See Merrett, K., 981
Grijpma, D. W. See Pêgo, A. P., 876, 1044
Grinstaff, M. W. See Prabhakar, V., 303
Grunkemeier, J. M. See Tsai, W.-B., 1255
Grzanna, M. See Phan, P. V., 1001
Guan, J. See Zhu, Y., 1367
Guerra, M. See Marinucci, L., 504
Guiberteau, F. See Deng, Y., 828
Gumpenberger, T. See Heitz, J., 130
Guo, X. See Li, J., 938
Gurny, R. See Einmahl, S., 44
Gutowska, A. See Au, A., 1310
Gutwein, L. G. See Price, R. L., 1284
Guzelian, A. A. See Cogan, S. F., 856

Ha, J. See Au, A., 1310
Haaga, J. R. See Szymanski-Exner, A., 510
Haberstroh, K. M. See Thapa, A., 1374
Hall, M. M. See Clupper, D. C., 285
Hanaoka, K. See Tanaka, E., 761
Hanke, T. See Bierbaum, S., 421, 431
Hara, M. See Uchimura, E., 834
Haridas, B. See Hunter, S. A., 1245
Harjula, A. L. J. See Hietala, E.-M., 785
Hartman, T. J. See Motlagh, D., 148
Hartmann, D. J. See Sorlier, P., 766
Hayakawa, T.
—; Yoshinari, M.; Nemoto, K.: Direct attachment of fibronectin to tesyl chloride-activated titanium, 684
Heiss, C. See Wenisch, S., 713
Heitz, J.
—; Švorčik, V.; Bačáková, L.; Ročková, K.; Ratajová, E.; Gumpenberger, T.; Bäuerle, D.; Dvořánková, B.; Kahr, H.; Graz, I.; Romanin, C.: Cell adhesion on polytetrafluoroethylene modified by UV-irradiation in an ammonia atmosphere, 130
Heller, J. See Einmahl, S., 44
Hempel, U. See Bierbaum, S., 421, 431
Hench, L. L. See Clupper, D. C., 285
—; See Lenza, R. F. S., 121
Hietala, E.-M.
—; Maasilta, P.; Välimaa, T.; Harjula, A. L. J.; Törmälä, P.; Salminen, U.-S.; Lassila, R.: Platelet responses and cooagulation activation on polylactide and heparin–polycaprolactone-L-lactide -coated polylactide stent struts, 785
Higgins, S. P.
—; Solan, A. K.; Niklason, L. E.: Effects of polyglycolic acid on porcine smooth muscle cell growth and differentiation, 295
Hild, A. See Wenisch, S., 713
Himeno, T. See Kim, H.-M., 1305
Hindle, A. R. See Eddleston, C. L., 900
Hirochika, R. See Chen, G., 1170
Hoffman, A. S. See Cuy, J. L., 538
Hofmann, A.
—; konrad, L.; Gotzen, L.; Printz, H.; Ramaswamy, A.; Hofmann, C.: Bioengineered human bone tissue using autogenous osteoblasts cultered on different biomatrices, 191
Hofmann, C. See Hofmann, A., 191
Hollinger, O. See Zhang, J., 389
Hong, J.-R. See Chung, J.-H., 1055
Hong, S. R.
—; Lee, Y. M.; Akaike, T.: Evaluation of a galactose-carrying gelatin sponge for hepatocytes culture and transplantation, 733
Hopt, U. T. See Bünger, C. M., 1219
Horan, R. See Chen, J., 559
Horas, U. See Wenisch, S., 713
Horbett, T. A. See Tsai, W.-B., 1255
Hoshiba, T. See Kim, S.-H., 1351
Hsu, S.-H. See Liu, B.-S., 1163
Hu, Y.
—; Zhang, C.; Zhang, S.; Xiong, Z.; Xu, J.: Developement of a porous poly(L-lactic acid)/hydroxyapatite/collagen scaffold as a BMP delivery system and its use in healing canine segmental bone defect, 591
Hu, Y. X. See Wang, R., 270
Huang, Y.-C.
—; Connell, M.; Park, Y.; Mooney, D. J.; Rice, K. G.: Fabricaiton and *in vitro* testing of polymeric delivery system for condensed DNA, 1384
Huk, O. L. See Catelas, I., 312
Hung, C.-H. See Young, T.-H., 1238
Hungerford, D. S. See Au, A., 1310
—; See Phan, P. V., 1001
Hunter, S. A.
—; Noyes, F. R.; Haridas, B.; Levy, M. S.; Butler, D. L.: Effects of matrix stabilization when using glutaraldehyde on the material properties of porcine meniscus, 1245
Hunziker, E. B. See Liu, Y., 1155
Hupa, M. See Itälä, A., 496

Ichi, T. See Lee, W. K., 1087
Ichikawa, H.
—; Peppas, N. A.: Novel complexation hydrogels for oral peptide delivery: *In vitro* evaluation of their cytocompatibility and insulin-transport enhancing effects using Caco-2 cell monolayers, 609
Iida, J. See Yoshikawa, T., 1437
Ikeuchi, K. See Shibata, N., 276
Ikeuchi, M.
—; Ito, A.; Dohi, Y.; Ohgushi, H.; Shimaoka, H.; Yonemasu, K.; Tateishi, T.: Osteogenic differentiation of cultured rat and human bone marrow cells on the surface of zinc-releasing calcium phosphate cermaics, 1115
Inuzuka, S. See Tanaka, E., 761
Isoi, Y. See Yamato, M., 1065
Itälä, A.
—; Koort, J.; Ylänen, H. O.; Hupa, M.; Aro, H. T.: Biologic significance of surface microroughing in bone incorporation of porous bioactive glass implants, 496

Ito, A. See Ikeuchi, M., 1115
Ito, Y. See Liu, H., 1424
Izquierdo-Barba, I. See Vallet-Regí, M., 674

Jallot, E. See Josset, Y., 1205
Janna, S. W. See Deb, S., 571
Jansen, J. A. See Sikavitsas, V. I., 944
—; See Winter, L. C., 1269
Jeong, J. M. See Park, Y. J., 751
Jin, Q.-M.
—; Zhao, M.; Webb, S. A.; Berry, J. E.; Somerman, M. J.; Giannobile, W. V.: Cementum engineering with three-dimensional polymer scaffolds, 54
Johnson, C.
—; Galis, Z. S.: Quantitative assessment of collagen assembly by live cells, 775
Johnstone, H. J. H. See Dalby, M. J., 1025
Jonas, L. See Bünger, C. M., 1219
Jones, J. R. See Lenza, R. F. S., 121
Jørgensen, B. See Pompe, T., 647
Josset, Y.
—; Nasrallah, F.; Jallot, E.; Lorenzato, M.; Dufour-Mallet, O.; Balossier, G.; Laurent-Maquin, D.: Influence of physicochemical reactions of bioactive glass on the behavior and activity of human osteoblasts *in vitro*, 1205
Juhasz, J. A.
—; Best, S. M.; Kawashita, M.; Miyata, N.; Kokubo, T.; Nakamura, T.; Bonfield, W.: Bonding strength of the apatite layer formed on glass-ceramic apatite-wollastonite–polyethylene composites, 952

Kahr, H. See Heitz, J., 130
Kaim, P. See van Dijkhuizen-Radersma, R., 1294
Kaledin, L. See Price, R. L., 1284
Kang, E.-T. See Zhang, P.-C., 1093
Kang, N. See Chung, J.-H., 1055
Kanno, M. See Kawakami, H., 1393
Kao, W. J. See Burmania, J. A., 224
Kaplan, D. L. See Chen, J., 559
Karageorgiou, V. See Chen, J., 559
Kato, K. See Shibata, N., 276
Katoh, M. See Lee, W. K., 1087
Kawakami, H.
—; Kanno, M.; Nagaoka, S.; Kubota, S.: Competitive plasma protein adsorption onto fluorinated polyimide surfaces, 1393
Kawanabe, K. See Tanaka, K., 200
Kawashita, M. See Juhasz, J. A., 952
—; See Kim, H.-M., 1305
Keenan, A. K. See Wilson, S. J., 667
Keizer, P. P. M. See de Groot, M., 679
Kelly, M. J. See Carroll, W. M., 1123
Khoury, A. See Farhat, W., 970
Kikuchi, A. See Yamato, M., 1065
Kilian, O. See Wenisch, S., 713
Kim, E.-S. See Chung, J.-H., 1055
Kim, H.-M.
—; Himeno, T.; Kawashita, M.; Lee, J.-H.; Kokubo, T.; Nakamura, T.: Surface potential change in bioactive titanium metal during the process of apatite formation in simulated body fluid, 1305
—; See Nishiguchi, S., 26
Kim, K. N. See Oh, S.-H., 104
Kim, S.-H.
—; Hoshiba, T.; Akaike, T.: Effect of carbohydrates attached to polystyrene on hepatocyte morphology on sugar-derivatized polystyrene matrices, 1351
Kim, S. H. See Opdahl, A., 350
Kim, T. K. See Martin, S. M., 334
Kinney, J. H. See Nalla, R. K., 484
Kishida, A. See Serizawa, T., 1060
Kligman, F. See Sagnella, S., 689
Klueh, U.
—; Bryers, J. D.; Kreutzer, D. L.: Binding and orientation of fibronectin on polystryene surfaces using immobilized bacterial adhesion-related peptides, 36
—; Dorsky, D. I.; Kreutzer, D. L.: Use of vascular endothelial cell growth factor gene transfer to enhance implantable sensor function *in vivo*, 1072
—; Dorsky, D. I.; moussy, F.; Kreutzer, D. L.: *Ex ova* chick chorioallantoic membrane as a novel model for evaluation of tissue responses to biomaterials and implants, 838
—; See Valdes, T. I., 215
Knors, C. See Prabhakar, V., 303
Knowles, J. C. See Mulligan, A. M., 401
Kobe, F. See Pompe, T., 647
Koffas, T. S. See Opdahl, A., 350
Koike, S. See Yamato, M., 1065
Koizumi, M. See Yoshikawa, T., 1437
Kokubo, T. See Juhasz, J. A., 952
—; See Kim, H.-M., 1305
—; See Nishiguchi, S., 26
—; See Tanaka, K., 200
Komatsu, H. See Noda, M., 240
Konno, C. See Yamato, M., 1065
Konrad, L. See Hofmann, A., 191
Koort, J. See Itälä, A., 496
Kottke-Marchant, K. See Sagnella, S., 689
Kreutzer, D. See Valdes, T. I., 215
Kreutzer, D. L. See Klueh, U., 36, 838, 1072
Krygier, J. J. See Catelas, I., 312
Krzyminski, K. See Au, A., 1310
Kubota, S. See Kawakami, H., 1393
Kuramoto, K. See Miyazaki, T., 1417
Kyomoto, M. See Miyazaki, T., 1417

LaBerge, M. See Caldwell, R. A., 1
LaCourse, W. C. See Clupper, D. C., 285
Lakke, E. A. J. F. See Pêgo, A. P., 876
Landi, E. See Tampieri, A., 618
Lanford, W. A. See Webster, T. J., 975
Langan, E. M., III See Caldwell, R. A., 1
Lannutti, J. J. See Wang, H., 599
Larsson, R. See Andersson, J., 458
Lassila, R. See Hietala, E.-M., 785
Laurencin, C. T. See Botchwey, E. A., 357
Laurent-Maquin, D. See Josset, Y., 1205
Lawn, B. R. See Deng, Y., 828
Layrolle, P. See Liu, Y., 1155
Leach-Scampavia, D. See Martin, S. M., 334
Ledger, R. E. Ledger, R. E., 1412
Lee, J.-H. See Kim, H.-M., 1305
Lee, J.-K. See Wang, H., 599
Lee, J. Y. See Park, Y. J., 751
Lee, M. C. See Park, Y. J., 751
Lee, S. J. See Park, Y. J., 751
Lee, S. Y. See Yang, Y. C., 886
Lee, W. K.
—; Ichi, T.; Ooya, T.; Yamamoto, T.; Katoh, M.; Yui, N.: Novel poly(ethylene glycol) scaffolds crosslinked by hydrolyzable polyrotaxane for cartilage tissue engineering, 1087
Lee, Y.-K. See Oh, S.-H., 104
Lee, Y. M. See Hong, S. R., 733
Leggett, G. J. See Dupont-Gillain, C. C., 548
Lenza, R. F. S.
—; Jones, J. R.; Vasconcelos, W. L.; Hench, L. L.: *In vitro* release kinetics of proteins from bioactive foams, 121
Leong, K. W. See Zhang, P.-C., 1093
Letourneur, D. See Parisel, C., 517
Leuvenink, H. G. D. See de Groot, M., 679
Levine, E. M. See Botchwey, E. A., 357
Levy, M. S. See Hunter, S. A., 1245
Lewis, G. See Deb, S., 571

Lewis, J. B. See Noda, M., 240
Lewis, J. B., Jr.
—; Wataha, J. C.; Randol, T. M.; McCloud, V. V.; Lockwood, P. E.: Metal ions alter lipopolysaccharide-induced NFKB binding in monocytes, 868
Li, J.
—; Pan, J.; Zhang, L.; Guo, X.; Yu, Y.: Culture of primary rat hepatocytes within porous chitosan scaffolds, 938
Li, W.-J.
—; Danielson, K. G.; Alexander, P. G.; Tan, R. S.: Biological response of chondrocytes cultured in three-dimensional nanofibrous poly(Î-caprolactone) scaffolds, 1104
Li, X. See Yin, Y., 844
Liao, J.-D. See Tyan, Y.-C., 1033
Lidgren, L. See Luisetto, Y., 908
Lilli, C. See Marinucci, L., 504
Lin, S.-J. See Shih, C.-C., 1320
Lin, S.-P. See Tyan, Y.-C., 1033
Lindenhayn, K. See Arnold, U., 265
Liu, B.-S.
—; Yao, C.-H.; Chen, Y.-S.; Hsu, S,-H.: *In vitro* evaluation of degradation and cytotoxicity of a novel composite as a bone substitute, 1163
Liu, H.
—; Ito, Y.: Gradient micropattern immobilization of a thermo-responsive polymer to investigate its effect on cell behavior, 1424
Liu, Y.
—; Hunziker, E. B.; Layrolle, P.; Van Blitterswijk, C.; Calvert, P. D.; de Groot, K.: Remineralization of demineralized albumin–calcium phosphate coatings, 1155
Liu, Y. P. See Cogan, S. F., 856
Locci, P. See Marinucci, L., 504
Lockwood, P. E. See Lewis, J. B., Jr., 868
—; See Noda, M., 240
Lopes, M. See Breschi, L., 11
Lorenzato, M. See Josset, Y., 1205
Lowman, A. See Thomas, J., 1329
Lubeley, M. W. See Tao, S. L., 369
Luisetto, Y.
—; Wesslen, B.; Maurer, F.; Lidgren, L.: The effect of irradiation, annealing temperature, and artificial aging on the oxidation, mechanical properties, and fracture mechanisms of UHMWPE, 908
Lyngstadaas, S. P. See Rønold, H. J., 524
Ma, P. X. See Woo, K. M., 531
Maasilta, P. See Hietala, E.-M., 785
Majeed, M. See Nimeri, G., 439
Makino, K. See Yamato, M., 1065
Manceur, A.
—; Chellat, F.; Merhi, Y.; Chumlyakov, Y.; Yahia, L'H.: *In vitro* cytotoxicity evaluation of a 50.8% NiTi single crystal, 641
Mao, H.-Q. See Zhang, P.-C., 1093
Maquet, V. See Blaker, J. J., 1401
Marani, E. See Pêgo, A. P., 876
Marchant, R. E. See Sagnella, S., 689
Marchini, M. See Spina, M., 1338
Marcolongo, M. See Thomas, J., 1329
Marinucci, L.
—; Lilli, C.; Guerra, M.; Belcastro, S.; Becchetti, E.; Stabellini, G.; Calvi, E. M.; Locci, P.: Biocompatibility of collagen membranes crosslinked with glutaraldehyde or diphenylphosphoryl azide: An *in vitro* study, 504
Marmo, C. See Opdahl, A., 350
Martin, S. M.
—; Ganapathy, R.; Kim, T. K.; Leach-Scampavia, D.; Giachelli, C. M.; Ratner, B. D.: Characterization and analysis of osteopontin-immobilized poly(2-hydroxyethyl methacrylate) surfaces, 334
Martinez-Diaz, G. J. See Burmania, J. A., 224
Martini, L. See Giavaresi, G., 112
Martins, M. C. L.
—; Ratner, B. D.; Barbosa, M. A.: Protein Absorption oin mixtures of hydroxyl- and mehtyl-terminated alkanethiols self-assembled monolayers, 158
Matsuda, H. See Uchimura, E., 834
Maurer, F. See Luisetto, Y., 908
Mazzotti, G. See Breschi, L., 11
McCabe, L. R. See Shu, R., 1196
McCloud, V. V. See Lewis, J. B., Jr., 868
McDevitt, C. A.
—; Wildey, G. M.; Cutrone, R. M.: Transforming growth factor-β1 in a sterilized tissue derived from the pig small intestine submucosa, 637
McGillicuddy, F. See Wilson, S. J., 667
McMullen, R. See Shu, R., 1196
Medley, J. B. See Catelas, I., 312
Merhi, Y. See Manceur, A., 641
Merrett, K.
—; Griffith, C. M.; Deslandes, Y.; Pleizier, G.; Dubé, M. A.; Sheardown, H.: Interactions of corneal cells with transforming growth factor β2-modified poly dimethyl siloxane surfaces, 981
Métairie, S. See van Dijkhuizen-Radersma, R., 1294
Mikos, A. G. See Gomes, M. E., 87
—; See Sikavitsas, V. I., 944
—; See Tanahashi, K., 448, 1148
Min, B.-M. See Chung, J.-H., 1055
Miranda, P. See Deng, Y., 828
Mirzadeh, H.
—; Shokrolahi, F.; Daliri, M.: Effect of silicone rubber crosslink density on fibroblast cell behavior *in vitro*727
Mishra, S. R. See Xu, J., 719
Mitchell, S. B. See Sanders, J. E., 1412
Miyake, J. See Uchimura, E., 834
Miyata, N. See Juhasz, J. A., 952
Miyazaki, T.
—; Ohsuki, C.; Kyomoto, M.; Tanihara, M.; Mori, A.; Kuramoto, K.: Bioactive PMMA bone cement preapred by modification with methacryloxypropyltrimethoxysilane and calcium chloride, 1417
Mizushima, Y. See Chinen, N., 61
Mochales, C. See El Briak-BenAbdeslam, H., 927
Mooney, D. J. See Huang, Y.-C., 1384
Mori, A. See Miyazaki, T., 1417
Moriyoshi, Y. See Obata, A., 413
Motlagh, D.
—; Hartman, T. J.; Desai, T. A.; Russell, B.: Microfabricated grooves recapitulate neonatal myocyte connexin43 and N-cadherin expression and localization, 148
Moursi, A. See Wang, H., 599
Moussy, F. See Klueh, U., 838
—; See Valdes, T. I., 215
Mulligan, A. M.
—; Wilson, M.; Knowles, J. C.: Effect of increasing silver content in phosphate-based glasses on biofilms of *Streptococcus sanguis*, 401

Nablo, B. J.
—; Schoenfisch, M. H.: Antibacterial properties of nitric oxide–releasing sol-gels, 1276
Nagaoka, S. See Kawakami, H., 1393
Nah, S. H. See Park, Y. J., 751
Nakagawa, M. See Chinen, N., 61
Nakajima, A. See Tanaka, E., 761
Nakamura, S. See Obata, A., 413
Nakamura, T. See Juhasz, J. A., 952
—; See Kim, H.-M., 1305
—; See Nishiguchi, S., 26
—; See Tanaka, K., 200

Nalla, R. K.
—; Kinney, J. H.; Ritchie, R. O.: On the fracture of human dentin: Is it stress- or strain-controlled?, 484
Nasrallah, F. See Josset, Y., 1205
Navarro, M.
—; Ginebra, M.-P.; Planell, J. A.: Cellular response to calcium phosphate glasses with controlled solubility, 1009
Nava-Saucedo, J.-E. See Bienaimé, C., 376
Nawa, M. See Tanaka, K., 200
Nemoto, K. See Hayakawa, T., 684
Nicholson, B. S. See Sanders, J. E., 1412
Nicolais, L. See Sanino, A., 1016
Niklason, L. E. See Higgins, S. P., 295
—; See Prabhakar, V., 303
Nilsson, B. See Andersson, J., 458
Nilsson Ekdahl, K. See Andersson, J., 458
Nimeri, G.
—; Majeed, M.; Elwing, H.; Öhman, L.; Wetterö, J.; Bengtsson, T.: Oxygen radical production in neutrophils interacting with platelets and surface-immobilized plasma proteins: role of tyrosine phosphorylation, 439
Nishiguchi, S.
—; Fujibayashi, S.; Kim, H.-M.; Kokubo, T.; Nakamura, T.: Biology of alkai- and heat-treated titanium implants, 26
Noda, M.
—; Wataha, J. C.; Lewis, J. B.; Lockwood, P. E.; Komatsu, H.; Sano, H.: Hg^{2+} and Ni^{2+} alter induction of heat shock protein-72 in THP-1 human monocytes, 240
Nonomura, A. See Yoshikawa, T., 1437
Notingher, I. See Blaker, J. J., 1401
Noyes, F. R. See Hunter, S. A., 1245
Nurit, J. See El Briak-BenAbdeslam, H., 927

Obata, A.
—; Nakamura, S.; Moriyoshi, Y.; Yamahita, K.: Electrical polarization of bioactive glass and assessment of their *in vitro* apatite deposition, 413
Ochiai, N. See Chen, G., 1170
Ogomi, D.
—; Serizawa, T.; Akashi, M.: Bioinspired organic-inorganic composite materials prepared by an alternate soaking process as a tissue reconstitution matrix, 1360
Oh, S.-H.
—; Choi, S.-Y.; Lee, Y.-K.; Kim, K. N.; Choi, S.-H.: Effects of lithium fluoride and maleic acid on the bioactivity of calcium aluminate cement: Formation of hydroxyapatite in simulated body fluid, 104
Ohan, M. P.
—; Dunn, M. G.: Glucose stabilizes collagen sterilized with gamma irradiation, 1188
Ohgushi, H. See Ikeuchi, M., 1115
Öhman, L. See Nimeri, G., 439
Ohsuki, C. See Miyazaki, T., 1417
Oka, M. See Yoshii, S., 467
Okano, T. See Yamato, M., 1065
Olsson, P. See Cornelius, R. M., 475
Ong, J. L. See Martin, S. M., 344
Onmori, N. See Shibata, N., 276
Ooya, T. See Lee, W. K., 1087
Opdahl, A.
—; Kim, S. H.; Koffas, T. S.; Marmo, C.; Somorjai, G. A.: Surface mechanical properties of pHEMA contact lenses: Viscoelastic and adhesive property changes on exposure to controlled humidity, 350
Orme, C. A. See Bearinger, J. P., 702
Ortolani, F. See Spina, M., 1338
Osaki, S. See Chen, M., 994
Oswald, J. See Pompe, T., 647

Pajares, A. See Deng, Y., 828
Pan, J. See Li, J., 938
Parisel, C.
—; Saffar, L.; Gattegno, L.; André, V.; Abdul-Malak, N.; Perrier, E.; Letourneur, D.: Interactions of heparin with human skin cells: Binding location, and transdermal penetration, 517
Park, K.-H. See Chung, J.-H., 1055
Park, Y. See Huang, Y.-C., 1384
Park, Y. J.
—; Nah, S. H.; Lee, J. Y.; Jeong, J. M.; Chung, J. K.; Lee, M. C.; Yang, V. C.; Lee, S. J.: Surface-modified poly(lactide-*co*-glycolide) nanospheres for targeted bone imaging with enhanced labeling and delivery of radiosotype, 751
Parker, K. G. See Cyster, L. A., 138
Parker, T. L. See Cyster, L. A., 138
Parsons, J. R. See Dutta Roy, T., 1228
Pashley, D. H. See Eddleston, C. L., 900
Pêgo, A. P.
—; Van Luyn, M. J. A.; Brouwer, L. A.; va Wahem, P. B.; Poot, A. A.; Grijpma, D. W.; Feijen, J.: *In vivo* behavior of poly(1,3-trimethylene carbonate) and copolymers of 1,3-trimethylene carbonate with D,L-lactide or Î-caprolactone: Degradation and tissue response, 1044
—; Vleggeert-Lankamp, C. L. A. M.; Deenen, M.; Lakke, E. A. J. F.; Grijpma, D. W.; Poot, A. A.; Marani, E.; Feijen, J.: Adhesion and growth of human schwann cells on trimethylene carbonate (co)polymers, 876
Peña, L. See Chen, M., 994
Peppas, N. A. See Ichikawa, H., 609
Perka, C. See Arnold, U., 265
Perrier, E. See Parisel, C., 517
Péters, F. L. A. M. A. See van Dijkhuizen-Radersma, R., 1294
Petrelli, L. See Spina, M., 1338
Phan, P. V.
—; Grzanna, M.; Chu, J.; Polotsky, A.; El-Ghannam, A.; Van Heerden, D.; Hungerford, D. S.; Frondoza, C. G.: The effect of silca-containing calcium-phosphate particles on human osteoblasts *in vitro*, 1001
Pilz, M. See Bünger, C. M., 1219
Planell, J. A. See El Briak-BenAbdeslam, H., 927
—; See Navarro, M., 1009
Pleizer, G. See Merrett, K., 981
Pollack, S. R. See Botchwey, E. A., 357
Polotsky, A. See Au, A., 1310
—; See Phan, P. V., 1001
Pompe, T.
—; Kobe, F.; Salchert, K.; Jørgensen, B.; Oswald, J.; Werner, C.: Fibronectin anchorage to polymer substrates controls the initial phase of endothelial cell ashesion, 647
Ponsart, S. See Einmahl, S., 44
Poot, A. A. See Pêgo, A. P., 876, 1044
Prabhakar, V.
—; Grinstaff, M. W.; Alarcon, J.; Knors, C.; Solan, A. K.; Niklason, L. E.: Engineering porcine arteries: Effects of scaffold modification, 303
Prati, C. See Breschi, L., 11
Price, R. L.
—; Gutwein, L. G.; Kaledin, L.; Tepper, F.; Webster, T. J.: Osteoblast function on nanophase alumina materials: Influence of chemistry, phase, and topography, 1284
Printz, H. See Hofmann, A., 191

Ramaswamy, A. See Hofmann, A., 191
Randol, T. M. See Lewis, J. B., Jr., 868
Ratajová, K. See Heitz, J., 130
Ratner, B. D. See Martin, S. M., 334
—; See Martins, M. C. L., 158
Reis, R. L. See Gomes, M. E., 87
Reisinger, K. D. See Summitt, M. C., 742
Rekow, D. See Dutta Roy, T., 1228
Reyes, C.
—; García, A. J.: A centrifugation cell adhesion assay for high-throughput screening of biomaterial surfaces, 328
Rhee, S.-H.
—; Effect of calcium salt content in the poly(Î-caprolactone)/silica nanocomposite on the nucleation and growth behavior of apatite layer, 1131
Rho, J.-Y. See Fan, Z., 208
Rho, J. Y. See Xu, J., 719
Ricci, J. L. See Dutta Roy, T., 1228
Rice, K. G. See Huang, Y.-C., 1384
Riehle, M. O. See Dalby, M. J., 1025
Rimondini, L. See Giavaresi, G., 112
Ritchie, R. O. See Nalla, R. K., 484
Rochefort, J. R. See sanders, J. E., 1181
Rochev, Y. A. See Wilson, S. J., 667
Roeder, R. K.
—; Sproul, M. M.; Turner, C. H.: Hydroxyapatite whiskers provide improved mechanical properties in reinforced polymer composites, 801
Ročková, K. See Heitz, J., 130
Romanin, C. See Heitz, J., 130
Rondelli, G. See Giavaresi, G., 112
Rønold, H. J.
—; Lyngstadaas, S. P.; Ellingsen, J. E.: A study on the effect of dual blasting with TiO_2 on titanium implant surfaces on functional attachment in bone, 524
Roosma, J. R. See van Dijkhuizen-Radersma, R., 1294
Rosa, A. L. See Barros, V. M. R., 235
Rosengren, A.
—; Bjursten, M.: Pore size in implanted polypropylene filters is critical for tissue organization, 918
Rosso, F. See Berlutti, F.
Rouland, J. A. See Arola, D. D., 78
Roveri, N. See Tampieri, A., 618
Rueggeberg, F. A. See Eddleston, C. L., 900
Russell, B. See Motlagh, D., 148

Saffar, L. See Parisel, C., 517
Sagnella, S
—; Kligman, F.; Marchant, R. E.; Kottke-Marchant, K.: Biomimetic surfactant polymers designed for shear-stable endothelialization on biomaterials, 689
Salchert, K. See Pompe, T., 647
Salminen, U.-S. See Hietala, E.-M., 785
Sanchez, J. See Andersson, J., 458
—; See Cornelius, R. M., 475
Sanders, J. E.
—; Nicholson, B. S.; Mitchell, S. B.; Ledger, R. E.: Polymer microfiber mechanical properties: A system for assessment and investigation of the link with fibrous capsule formation, 1412
—; Rochefort, J. R.: Fibrous encapsulation of single polymer microfibers depends on their vertical dimension in subcutaneous tissue, 1181
Sandri, M. See Tampieri, A., 618
Sannino, A.
—; Esposito, A.; De Rosa, A.; Cozzolino, A.; Ambrosio, L.; Nicolais, L.: Biomedical application of a superabsorbent hydrogel for body water elimination in the treament of edemas, 1016
Sano, H. See Noda, M., 240
San Roman, J. See Deb, S., 571
Sato, T. See Chen, G., 1170
Savoldelli, M. See Einmahl, S., 44
Sawa, Y. See Uchimura, E., 834
Schareck, W. See Bünger, C. M., 1219
Scharnweber, D. See Bierbaum, S., 421, 431
Schmitz, K. P. See Bünger, C. M., 1219
Schnettler, R. See Wenisch, S., 713
Schoenfisch, M. H. See Nablo, B. J., 1276
Schuurs, T. A. See de Groot, M., 679
Schweitzer, S. See Arnold, U., 265
Scott, M. D. See Chen, A. M., 626
Sefton, M. V. See Gorbet, M. B., 792
Seo, B.-M. See Chung, J.-H., 1055
Serizawa, T.
—; Yamaguchi, M.; Kishida, A.; Akashi, M.: Alternating gene expression in fibroblasts adhering to multilayers of chitosan and dextran sulfate, 1060
—; See Ogomi, D., 1360
Sevastianov, V. I. See Vasin, S. L., 582
Sheardown, H. See Merrett, K., 981
Shemtov, O. See Farhat, W., 970
Shen, J. See Zhu, Y., 1367
Shibata, N.
—; Tomita, N.; Onmori, N.; Kato, K.; Ikeuchi, K.: Defect initiation at subsurface grain boundary as a precursor of delamination in ultrahigh molecular weight polyethylene, 276
Shih, C.-C.
—; Shih, C.-M.; Su, Y.-Y.; Lin, S.-J.: Impact on the thrombogenicity of suface oxide properties of 316l stainless steel for biomedical applications, 1320
Shih, C.-M See Shih, C.-C., 1320
Shima, M. See Yoshii, S., 467
Shimaoka, H. See Ikeuchi, M., 1115
Shimizu, T. See Yamato, M., 1065
Shinozaki, K. See Chinen, N., 61
Shirasaki, Y. See Chen, G., 1170
Shokrolahi, F. See Mirzadeh, H., 727
Shu, R.
—; McMullen, R.; Baumann, M. J.; McCabe, L. R.: Hydroxyapatite accelerates differentiation and suppresses growth of MC3T3-E1 osteoblasts, 1196
Sikavitsas, V. I.
—; van den Dolder, J.; Bancroft, G. N.; Jansen, J. A.; Mikos, A. G.: Influence of the *in vitro* culture period on the *in vivo* performance of cell/titanium bone tissue-engineered constructs using a rat cranial critical size defect model, 944
—; See Gomes, M. E., 87
Simon, J. L. See Dutta Roy, T., 1228
Solan, A. K. See Higgins, S. P., 295
—; See Prabhakar, V., 303
Som, P. See Chen, M., 994
Somerman, M. J. See Jin, Q.-M., 54
Somorjai, G. A. See Opdahl, A., 350
Sorlier, P.
—; Hartmann, D. J.; Denuzière, A.; Viton, C.; Domard, A.: Preparation and developement of anti-chitosan antibodies, 766
Spina, M.
—; Ortolani, F.; El Messlemani, A.; Gandaglia, A.; Bujan, J.; Garcia-Honduvilla, N.; Vesely, I.; Gerosa, G.; Casarotto, D.; Petrelli, L.; Marchini, M.: Isolation of intact aortic valve scaffolds for heart-valve bioprosthesis: Extracellular matrix structure, prevention from calcification, and cell repopulation features, 1338
Spoerke, E. D.
—; Stupp, S. I.: Colonization of organoapatite–titanium mesh by preosteoblastic cells, 960
Sproul, M. M. See Roeder, R. K., 801
Stabellini, G. See Marinucci, L., 504
Stahl, J.-P. See Wenisch, S., 713

Stayton, S. See Gilbert, M., 69
Stowe, N. T. See Szymanski-Exner, A., 510
Stupp, S. I. See Spoerke, E. D., 960
Su, Y.-Y. See Shih, C.-C., 1320
Summitt, M. C.
—; Reisinger, K. D.: Characterization of the mechanical properties of demineralized bone, 742
Suzuki, Y. See Chinen, N., 61
Švorčík, V. See Heitz, J., 130
Szymanski-Exner, A.
—; Gallacher, A.; Stowe, N. T.; Weinberg, B.; Haaga, J. R.; Gao, J.: Local carboplatin delivery and tissue distribution in livers after radiofrequency ablation, 510

Tabatabay, C. See Einmahl, S., 44
Takakura, Y. See Yoshikawa, T., 1437
Taketani, S. See Uchimura, E., 834
Tampieri, A.
—; Celotti, G.; Landi, E.; Sandri, M.; Roveri, N.; Falini, G.: Biologically inspired synthesis of bone-like composite: Self-assembled collagen fibers/hydroxyapatite nanocrystals, 618
Tamura, J. See Tanaka, K., 200
Tanahashi, K.
—; Mikos, A. G.: Effect of hydrophilicity and agmatine modification on degradation of poly(Propylene fumarate-*co*-ethylene glycol) hydrogels, 1148
—; Mikos, A. G.: Protein adsorption and smooth muscle cell adhesion on biodegradable agmatine-modified poly(propylene fumarate-*co*-ethylene glycol) hydrogels, 448
Tanaka, E.
—; del Pozo, R.; Tanaka, M.; Aoyama, J.; Hanaoka, K.; Nakajima, A.; Inuzuka, S.; Tanne, K.: Strain-rate effect on the biomechanical response of bovine temporomandibular joint disk under compression, 761
Tanaka, K.
—; Tamura, J.; Kawanabe, K.; Nawa, M.; Uchida, M.; Kokuba, T.; Nakamura, T.: Phase stability after aging and its influence on pin-on-disk wear properties of Ce-TZP/Al_2O_3 nanocomposite and conventional O-TZP, 200
Tanaka, M. See Tanaka, E., 761
Taniguchi, A. See Yoshii, S., 467
Tanihara, M. See Chinen, N., 61
—; See Miyazaki, T., 1417
Tanne, K. See Tanaka, E., 761
Tao, S. L.
—; Lubeley, M. W.; Desai, T. A.: Synthesis of cytoadhesive poly(methylmethacrylate) for applications in targeted drug delivery, 369
Tateishi, T. See Chen, G., 1170
—; See Ikeuchi, M., 1115
Tay, F. R. See Eddleston, C. L., 900
Tepper, F. See Price, R. L., 1284
Teti, G. See Breschi, L., 11
Thapa, A.
—; Webster, T. J.; Haberstroh, K. M.: Polymers with nano-dimensional surface features enhance bladder smmoth muscle cell adhesion, 1374
Thomas, J.
—; Lowman, A.; Marcolongo, M.: Novel associated hydrogels for nucleua pulposus replacement, 1329
Thompson, V. P. See Dutta Roy, T., 1228
Titushkin, I. A. See Vasin, S. L., 582
Tomita, N. See Shibata, N., 276
Törmälä, P. See Hietala, E.-M., 785
Trinkaus, K. See Wenisch, S., 713
Tsai, W.-B.
—; Grunkemeier, J. M.; Horbett, T. A.: Variations in the ability of adsorbed fibrinogen to mediate platelet adhesion to polystyrene-based materials: A multivariate statistical analysis of antibody binding to the platelet binding sites of fibrinogen, 1255
Tuan, R. S. See Li, W.-J., 1104
Turner, C. H. See Roeder, R. K., 801
Tyan, Y.-C.
—; Liao, J.-D.; Lin, S.-P.; Chen, C.-C.: The study of the sterilization effect of gamma ray irradiation of immobilized collagen polypropylene nonwoven fabric surfaces, 1033

Uchida, M. See Tanaka, K., 200
Uchimura, E.
—; Sawa, Y.; Taketani, S.; Yamanaka, Y.; Hara, M.; Matsuda, H.; Miyake, J.: Novel method of preparing acellular cardiovascular grafts by decellularization with poly(ethylene glycol), 834
Ueda, Y. See Yoshikawa, T., 1437
Ushida, T. See Chen, G., 1170

Valdes, T. I.
—; Klueh, U.; Kreutzer, D.; Moussy, F.: *Ex ova* chick chorioallantoic membrane as a novel *in vivo* model for testing biosensors, 215
Valenti, P. See Berlutti, F., 18
Välimaa, T. See Hietala, E.-M., 785
Vallet-Regí, M.
—; Izquierdo-Barba, I.; Gil, F. J.: Localized corrosion of 316L stainless steel with SiO_2-CaO films obtained by means of sol–gel treatment, 674
Van Blitterswijk, C. See Liu, Y., 1155
van den Dolder, J. See Sikavitsas, V. I., 944
van Dijkhuizen-Radersma, R.
—; Roosma, J. R.; Kaim, P.; Métaire, S.; Péters, F. L. A. M. A.; de Wijn, J.; Zijlstra, P. G.; de Groot, K.; Bezemer, J. M.: Biodegradable poly(ehter-ester) multiblock copolymers for controlled release applications, 1294
Van Heerden, D. See Phan, P. V., 1001
van Hoogmoed, C. G.
—; Busscher, H. J.; de Vos, P.: Fourier transform infared spectroscopy studies of alginate–PLL capsules with varying compositions, 172
Van Luyn, M. J. A. See Pêgo, A. P., 1044
van Schilfgaarde, R. See de Groot, M., 679
van Wachem, P. B. See Pêgo, A. P., 1044
Vasconcelos, W. L. See Lenza, R. F. S., 121
Vasin, S. L.
—; Titushkin, I. A.; Sevastianov, V. I.: Mathematical model of static platelet adhesion on a solid surface, 582
Vazquez, B. See Deb, S., 571
Vesely, I. See Spina, M., 1338
Viton, C. See Sorlier, P., 766
Vleggeert-Lankamp, C. L. A. M. See Pêgo, A. P., 876
Volluch, V. See Chen, J., 559
Vyavahare, N. See Caldwell, R. A., 1

Walboomers, X. F. See Winter, L. C., 1269
Wan, Y. See Yang, J., 1139
Wang, H.
—; Lee, J.-K.; Moursi, A.; Lannutti, J. J.: Ca/P ratio effects on the degradation of hydroxyapatite *in vitro*, 599

Wang, R.
—; Hu, Y. X.: Patterning hydroxyapatite biocoating by electrophoretic deposition, 270
Wang, S. See Yang, J., 1139
Wataha, J. C. See Lewis, J. B., Jr., 868
—; See Noda, M., 240
Webb, S. A. See Jin, Q.-M., 54
Webster, T.
—; Ergun, C.; Doremus, R. H.; Lanford, W. A.: Increased osteoblast adhesion on titanium-coated hydroxylapatite that forms $CaTiO_3$, 975
Webster, T. J. See Price, R. L., 1284
—; See Thapa, A., 1374
Weinberg, B. See Szymanski-Exner, A., 510
Wenisch, S.
—; Stahl, J.-P.; Horas, U.; Heiss, C.; Kilian, O.; Trinkaus, K.; Hild, A.; Schnettler, R.: *In vivo* mechanisms of hydroxyapatite cermaic degradation by osteoclasts: Fine structural microscopy, 713
Wenzel, K.-W. See Bierbaum, S., 431
Werner, C. See Bünger, C. M., 1219
—; See Pompe, T., 647
Wesslen, B. See Luisetto, Y., 908
West, J. L. See Gobin, A. S., 255
Wetterö, J. See Nimeri, G., 439
Wildey, G. M. See McDevitt, C. A., 637
Wilson, M. See Mulligan, A. M., 401
Wilson, S. J.
—; Gorelov, A. V.; Rochev, Y. A.; McGillicuddy, F.; Dawson, K. A.; Gallagher, W. M.; Keenan, A. K.: Extended delivery of the antimitotic agent colchicine from thermoresponsive N-isopropylacrylamide-based copolymer films to human vascular smooth muscle cells, 667
Winter, L. C.
—; Walboomers, X. F.; Bumgardner, J. D.; Jansen, J. A.: Intermittent *versus* continuous stretching effects on osteoblast-like cells *in vitro*, 1269
Woo, K. M.
—; Chen, V. J.; Ma, P. X.: Nano-fibrous scaffolding architecture selectively enhances protein adsorption contributing to cell attachment, 531
Worch, H. See Bierbaum, S., 421, 431
Xia, N.
—; Castner, D. G.: Preserving the structure of adsorbed protein films for time-of-flight secondary ion mass spectrometry analysis, 179
Xiong, Z. See Hu, Y., 591
Xu, J.
—; Rho, J. Y.; Mishra, S. R.; Fan, Z.: Atomic force microscopy and nanoindentation characterization of human lamellar bone prepared by microtome sectioning and mechanical polishing technique, 719
—; See Hu, Y., 591

Yahia, L'H. See Manceur, A., 641
Yamaguchi, M. See Serizawa, T., 1060
Yamamoto, E. See Chinen, N., 61
Yamamoto, T. See Lee, W. K., 1087
Yamanaka, Y. See Uchimura, E., 834
Yamashita, K. See Obata, A., 413
Yamato, M.
—; Konno, C.; Koike, S.; Isoi, Y.; Shimizu, T.; Kikuchi, A.; Makino, K.; Okano, T.: Nanofabrication for micropatterned cell arrays by combining electron beam-irradiated polymer grafting and localized laser ablation, 1065
Yang, J.
—; Wan, Y.; Yang, J.; Bei, J.; Wang, S.: Plasma-treated, collagen-anchored polyactone: Its cell affinity evaluation under shear or shear-free conditions, 1139
—; See Yang, J., 1139
Yang, V. C. See Park, Y. J., 751
Yang, Y.
—; Cavin, R.; Ong, J. L.: Protein adsorption on titanium surfaces and their effect on osteoblast attachment, 344
Yang, Y. C.
—; Chang, E.; Lee, S. Y.: Mechanical properties and Young's modulus of plasma-sprayed hydroxyapatite coating on Ti substrate in simulated body fluid, 886
Yao, C.-H. See Liu, B.-S., 1163
Yao, K. See Yin, Y., 844
Ye, F. See Yin, Y., 844
Yeger, H. See Farhat, W., 970
Yin, C.
—; Ying, L.; Zhang, P.-C.; Zhuo, R.-X.; Kang, E.-T.; Leong, K. W.; Mao, H.-Q.: High density of immobilized galactose ligand enhances hepatocyte attachment and function, 1093
Yin, Y.
—; Ye, F.; Cui, J.; Zhang, F.; Li, X.; Yao, K.: Preparation and characterization of macroporous chitosan–gelatin/β-tricalcium phosphate composite scaffolds for bone tissue engineering, 844
Ying, L. See Yin, C., 1093
Ylänen, H. O. See Itälä, A., 496
Yonemasu, K. See Ikeuchi, M., 1115
Yoshii, S.
—; Oka, M.; Shima, M.; Taniguchi, A.; Akagi, M.: Bridging a 30-mm nerve defect using collagen filaments, 467
Yoshikawa, T.
—; Iida, J.; Ueda, Y.; Koizumi, M.; Takakura, Y.; Nonomura, A.: Bone regeneration by grafting of an autogenous cultured bone/ceramic construct, 1437
Yoshinari, M. See Hayakawa, T., 684
Young, T.-H.
—; Hung, C.-H.: Change in electrophoretic mobility of PC12 cells after culturing on PVA membranes modified with different diamines, 1238
Yu, Y. See Li, J., 938
Yui, N. See Lee, W. K., 1087

Zamora, P. O. See Chen, M., 994
Zhang, C. See Hu, Y., 591
Zhang, F. See Yin, Y., 844
Zhang, J.
—; Doll, B. A.; Beckman, E. J.; Hollinger, O.: A biodegradable polyurethane-ascorbic acid scaffold for bone tissue engineering, 389
Zhang, J.-T. See Cheng, S.-X., 96
Zhang, L. See Li, J., 938
Zhang, P.-C., 1093
Zhang, S. See Hu, Y., 591
Zhao, M. See Jin, Q.-M., 54
Zhu, Y.
—; Gao, C.; Guan, J.; Shen, J.: Engineering porous polyurethane scaffolds by photografting polymerization of methacrylic acid for improved endothelial cell compatibility, 1367
Zhuo, R.-X. See Cheng, S.-X., 96
—; See Zhang, P.-C., 1093
Zijlstra, P. G. See van Dijkhuizen-Radersma, R., 1294
Zukor, D. J. See Catelas, I., 312

Journal of Biomedical Materials Research
Subject Index—Volume 67A

ACL, 742
ACM thickness, 970
Acylic bone cements, 571
Adhesion, 975, 1025
Adhesion assay, 328
Adsorption, 531
Adsorption of albumin, 344
Affinity, 26
AFM, 719
Aging, 200
Agmatine, 448, 1148
Alginate, 172, 376
Alginate microcapsules, 1219
Alginate-poly-L-lysine-alginate microcapsules, 679
Aliphatic, 1294
Alkali and heat treatments, 26
Alkaline phosphatase, 1115
Alkoxysilane, 1417
Allograft, 1245
Alternate soaking process, 1360
Alumina, 1284
Amino acid grafting, 130
Ammonia, 994
Amorphous oxide, 1320
Angiogenesis, 61
Animal models, 215
Anisotropy, 801
Annealing, 908
Ant-fibronectin antibodies, 36
Antithrombin, 475
Aortic valves, 1338
Apatite, 1131, 1305, 1360, 1417
Aromatic, 1294
Artificial biofilms, 376
Artificial ECM, 13351
Ascorbic acid, 389
Asialoglycoprotein receptor, 1351
Atomic absorption spectroscopy, 510
Atomic force microscopy, 350, 548, 702, 1219
Axon, 467

Bacterial Adhesion, 1276
Bacterial adhesion, 18
Bacterial-related peptides, 36
bFGF, 61
Bioactive glass, 121, 413, 496, 1001, 1205, 1401
Bioactivity, 285, 1305, 14174
Bioadhesion, 369
Biochemical response, 761
Biocompatibility, 44, 138, 235, 240, 458, 504, 727, 844, 856, 1219
Biodegradable, 448
Biodegradable inclusion complex, 1087
Biodegradable polymer, 389, 1170
Biodegradable polymers, 44
biodegradable polymers, 87
Biodegradable polyurethanes, 813
Biomaterial, 559
Biomaterials, 44, 215, 224, 270, 303, 328, 792, 1255
Biomaterials and implants, 838
Biometic synthesis, 618
Biomimetic coating, 1155
Biomimetic peptides, 69
biomimetic polymers, 689
Biomimetrics, 578
Bioprosthetic, 834
Biosensors, 215, 1072
Bladder smooth muscle cells, 1374
Blood, 458
Body fluids, 1123
Bonding strength, 886, 952
Bone, 191, 357, 1196
Bone and bone marrow targeting, 751
Bone engineering, 265
Bone graft, 1228
Bone grafting, 191
Bone ingrowth, 496
Bone marrow cell, 1115
Bone marrow stromal cells, 87, 559
Bone morphogenetic protein, 591
Bone regneration, 1401
Bone response, 524
Bone substitute, 618, 1163
Bone substitute materials, 591
Bone substitutes, 801, 813, 1001
Bone tissue engineering, 87, 944
Bone tissue-engineering scaffold, 389
Brittle coatings, 828
β-tricalcium phosphate, 844
Bulk degradation, 1044
Ca-alginate gel beads, 376
Caco-2 cells, 609
Calcification, 813
Calcification prevention, 1338
Calcium aluminate cement, 104
Calcium carbonate, 1360
Calcium oxide, 927
Calcium-phosphate, 1001
Calcium phosphates, 578
Capacitance, 246
Ca/P ratio, 599
Carbohydrate recognition, 517
Cardiac, 148
Cartilage, 1170, 1430
Cartilage tissue engineering, 1087, 1104
Catalysis, 702
$CaTiO_3$, 975
CD11b, 792
Cell Adhesion, 130
Cell adhesion, 255, 328, 334, 448, 1060
Cell adhesion and growth, 538
Cell adhesion and proliferation, 876
Cell affinity, 1139
Cell attachment, 285, 994, 1424
Cell behavior, 727
Cell binding, 517
Cell compatibility, 1360
Cell culture, 1065, 1269
Cell matrix adhesion, 647
Cell morphology, 1351
Cell patterns, 1065
Cell proliferation, 960
Cell Repopulation, 1338
Cell/scaffold constructs, 944
Cell therapy, 54
Cellular confinement, 376
Cellular response, 1009
Cementless fixation, 26
Cementoblasts, 54
Centrifugation, 328
Characterization, 312
Chemical and structural modifications, 578
Chick chorioallantoic membrane, 38
Chick embryo chorioallantoic membrane, 1072
Chicken chorioallantoic membrane, 215
Chitosan, 538, 766, 938

Chitosan–gelatin hybrid polymer network, 844
Chondrocyte, 1310
Chondrocyte rediffentiation, 1104
Coagulation, 458
Coarsely sandblasted, 246
Coatings, 674, 975
Cobalt–chromium alloy, 312
CoCrMo, 246
Coin-shaped titanium implants, 524
Colchicine, 667
Collagen, 591, 618, 1033, 1170, 1188
Collagen assembly, 775
Collagen fibrils, 11
Collagen filament, 467
Collagen membranes, 504
Collagen type I and III, 421, 431
Colonization, 960
Colony-forming units, 401
Colorimetric bacterial counting method, 18
Competitive plasma protein adsorption, 1393
Complement activation, 458
Composite, 200, 618, 952
Composite materials, 1401
Composite Scaffold, 844
Composite web, 1170
Compression, 761
Condensed revised simulated body fluid (rSBF), 578
Connexin43, 148
Contact angles, 158
Contact lens material, 350
Controlled release, 61, 1276, 1294, 1384
Corneal epithelium, 981
Corneal stroma, 981
Corrosion, 599, 674, 702, 1123
Covalent immobilization, 334
cp titanium, 246
Crack, 78
Cracking, 828
Critical loads, 828
Critical size defect, 944
Crosslinkable, 448
Crosslink density, 727
Crosslinking, 733, 1016, 1219, 1245
Crosslinking methods, 504
Cytokines, 641
Cytoskeleton, 689, 1025
Cytotoxicity, 609, 641, 1009
Cytoxcompatibility, 1367

Decellularization, 834
Degradable nerve guiides, 876
Degradable polymers, 1401
Degradation, 1148, 1430
Degree of acetylation, 766
Degree of supersaturation, 1131
Dehydration, 179
Delamination, 276
Demineralized bone, 742
Demineralized dentin matrix, 900
Dental crowns, 828
Dental follicle, 54
Dental implant, 684
Dental materials, 868
Dental polymers, 18
Dentin, 78, 484
Dexamethasone, 1437
Dicalcium phospahte dihydrate, 927
Dielectrics, 856
Differentiation, 295
Diffusion, 357
Dimensional changes, 900
DNA quantification, 1205
Dog, 1437
Double-notched bend test, 484
Drug delivery, 1, 44, 224, 510

EDTA, 679
Elastin, 255
Electrical polarization, 413
Electrical repulsive force, 1393
Electrochemical methods, 702
Electron microscopy, 11
Electrophoresis, 1238
Electrophoretic deposition, 270
Electrospinning, 1104
ELISA, 766
Encapsulation, 172
Endothelial cell, 834, 1367
Endothelial cells, 130, 647, 689
Endovascular stents, 1
Energy-dispersive X-ray spectroscopy, 1205
Escherichia coli, 18
Ethylenediaminetetraacetic dianhydride 224
Ex ova, 838
Extracellular matrix, 637, 834
Extracellular matrix scaffold, 1338

Fast response, 96
Fatigue, 78, 571
Fiber, 531
Fibrillogenesis, 775
Fibrils, 775
Fibrinogen, 179
Fibrinogen adsorption, 1255
Fibroblast, 1360
Fibroblasts, 130, 727, 1025
Fibronectin, 36, 421, 431, 448, 647, 658, 684, 876, 1065
Fibrous capsule thickness, 1181
Fibrous encapsulation, 1412
Flexiperm, 667
Flow, 357
Flow chamber, 1139
Flow perfusion bioreactor, 87, 944
Fluorescence intensity, 1055
Fluorinated polyimide, 1393
Foams, 121
Foreign body induction, 918
Fractography, 484
Fracture, 78, 484
Fracture mechanism, 908
Fracture toughness, 571
Fragmentation, 1188
FT-IR, 172
Function maintenance, 1093

Galactose, 733
Galactosylated surface, 1093
Galvanic corrosion, 1123
Gamma irradiation, 276, 1188
Gamma ray irradiation, 1033
Gamma sterilization, 908
Gelatin, 1163
Gene delivery, 1384
Gene expression, 1060
Gene transfer, 1072
Genipin, 1163
Glass-ceramic apatite-wollastonite, 952
Glass fibers, 285
Glow discharge plasma, 994
Glucose, 1188
Glucose transporter, 1055
Glutaraldehyde, 1245
Glutaraldehyde fixation, 179
Glycerol, 389
Glycopolymer, 1055
Gradient surface, 1424
Grafting polymerization, 1367
Graft-*versus*-host disease (GVHD), 626
Grain boundary, 276
Growth factors, 265, 637
Guanidino group, 448, 1148

Heaprin, 517
Heart-valve bioprostheses, 1338
Heat-shock protein, 1060
Heat shock proteins, 240
Heavy metals, 868
Heparin, 61
Heparin coating, 785
Heparinized surface, 475
Hepatocyte, 938, 1093, 1351
Hepatocytes, 733
HepG2 cell, 1055
Heterotypic fibrils, 421, 431
Hip simulator, 312
Histomorphometry, 112
Human, 1437
Human dermal fibroblasts, 504
Human osteoblasts and synoviovytes, 1001
Human Schwann cells, 876

Human Vascular smooth muscle cells, 667
Hydrogel, 96, 350, 448, 1016, 1329
Hydrogen bonding, 1329
Hydrophilicity, 813, 1148
Hydrophobicity, 1393
Hydroxyapatite, 270, 285, 591, 618, 801, 886, 927, 960, 1196, 1228
Hydroxyapatite ceramic, 713
Hydroxyapatite (HAp), 104
Hydroxylapatite, 975

Imaging, 751
Immobilization, 1093
Immobilized heparin, 458
Immunoblot, 475
Immunoblotting, 240
Immunocytochemistry, 11
Immunohistochemistry, 918
Immunoisolation, 172
Immunomodulation, 626
Implant, 1181, 1196
Implants, 599
Inflammation, 240, 868
Injectable, 448
Injectable alginate-gel, 61
Injectable biodegradable hydrogel, 1148
Insulin transport, 609
Integrin-dependent signaling pathways, 69
Interfaces, 702
Intravascular, 785
Intrinistic coagulation, 475
In vitro degradation, 813, 1294
In vitro studies, 1284
In vivo, 1072
In vivo degradation, 1044
In vivo studies, 215
Ionic activity product, 1131
Ionic stength, 1016
IRAS, 158
Islets of Langerhans, 679

Keratoprosthesis, 981
Kinetics of cell adhesion, 582
Kinetic study, 927

Lamellar bone, 719
Laser abaltion, 1065
Layer-by-layer assembly, 1060
Leukocytes, 792
Ligament, 742
Ligament tissue engineering, 559
Ligand, 1093
Lithium fluoride, 104
Long-chain amine activators, 571
Lysine di-socyanate, 389

Macrophages, 918
Maleic acid, 104
Marrow cell, 1437
Mathematical model, 582
Matrix assembly assay, 775
Matrix composite, 265
Matrix metalloproteinase-2, 1
Matrix metalloproteinase inhibitor, 1
MC3T3-E1 osteogenic cells, 960
Mechanical properties, 719, 844, 908
Mechanical stretch, 1269
Mechanosynthesis, 927
Membrane rupture, 658
Meniscus, 1245
Metabolic activity, 938
Metal ions, 240
Metal-metal wear particles, 312
Methacrylic acid, 1367
Methoxypoly(ethylene glycol), 626
Microhardness, 112
Microparticles, 369
Micropatterning, 1424
Microrough surface, 496
Microstructure, 208, 484, 844
Microtopography, 148
Mineralization, 285, 1155
Mobility, 1238
Modified gelatin, 733
Modulus, 1412
Molecular mobility, 727
Molecular weight, 766
Monoclonal antibody binding, 1255
Mouse, 626
MTT test, 641
Multilayer, 1060
Myocyte, 148

Nano, 531
Nanobiotechnology, 1025
Nanofiber, 1104
Nanoindentation, 208, 719
Nanophase materials, 1284
Nano-structured, 1374
Nanotopography, 138
N-cadherin, 148
Neovascularization, 1072
Nerve, 467
Neutrophil, 439
NFKB, 868
Nickel-titanium, 641
NiPAAm/Nt BAAm, 667
N-isopropylacrylamide, 1065
Nitinol, 1123
Nitric oxide, 1276
Nonmammalian animal models, 838
Nonwoven fabric, 1033
Nucleus pulposus, 1329

Ocular, 44
Open circuit potential, 246
Open-circuit potential, 1320

Oral drug delivery, 369
Oral peptide delivery, 609
Organic-inorganic composite material, 1360
Organoapatite, 960
Orientation, 36
Orthopedic, 1284
Orthopedics, 801
Osseoconductivity, 235
Osseointegration, 235, 599
Osteoblast, 191, 975, 1163, 1196, 1205, 1269, 1284
Osteoblast attachment, 344
Osteoblasts, 69, 431
Osteoclast, 713
Osteoconduction, 1417
Osteogenesis, 1115, 1437
Osteogenetic differentiation, 265
Osteoinduction, 599
Osteonal lamella, 208
Osteopontin, 334
Oxidation, 702, 908
Oxygen, 994

Passivation, 856
Patterning, 270
PC12 cells, 1238
PEG, 792
PEG hydrogel, 1087
PEI, 1384
PEO, 981
Perfusion culture, 191
Periodontal ligament, 54
Periosteum-drived cells, 265
PGLA, 54
Phagocytosis, 713
Pharmacokinetics, 510
Phase transformation, 200
Phosphate-based glasses, 401
Phosphate glass, 1009
Photo-lithography, 1424
Photopolymerization, 1430
pH-sensitive hydrogels, 609
Plasma protein, 439
Plasma spray, 886
Plasmid DNA, 1384
Plasticity, 208
Platelet, 439
Platelet activation, 582
Platelet adhesion, 1255, 1393
Platelet adhesion mechanism, 582
Platelet binding sites, 1255
Platelets, 792
Platelet/surface interaction, 582
PLGA, 1384
Ploxamer 407, 751
PMMA, 369
PMMA bone cement, 1417
Polarization resistance, 246
Polyacrylic acid, 1219
Polyactone, 1139

poly-caprolactone, 1374
Polyclonal antibodies, 766
Poly(dimethylsiloxane), 727
Poly (dimethylsiloxane), 981
Polyester, 1412
Poly(ester Carbonate)s, 1044
Poly(ester carbonate)s based on trimethylene carbonate and Î-caprolactone, 876
Poly(ether ester), 1294
Poly-ether-urethane, 1374
Polyethylene, 952, 1412
Poly(ethylene glycol), 834, 1430
Polyglycolic acid, 295, 303
Poly(HEMA), 334
Poly(Î-caprolactone), 1104, 1131
Poly-lactic/glycolic acid, 1374
Polylactide, 785
Poly(L-lactic cid), 591
Poly-L-lysine, 172
Polymer, 531, 647, 1310
Polymer blend, 235
Polymer grafting, 1065
Polymer nanospheres, 751
Polymer scaffold, 1087
Poly(N-isopropylacrylamide), 96
Poly(ortho esters), 44
Polypropylene, 918, 1181
Poly(Propylene fumarate-*co*-ethylene glycol), 1148
Poly(propylene fumarate-*co*-ethylene glycol), 448
Polyrotaxane, 1087
Polysaccharide, 517
Polystyrene, 1065
Polythylene, 801
Polyurethane, 1412
Polyurethane scaffold, 1367
Poly(Vinyl alcohol), 1329
Poly (vinyl alcohol), 1238
Poly(vinyl pyrrolidone), 1329
Porcine bladder acellular matrix, 970
Porcine smooth muscle cells, 303
Porosity, 970
Porous, 496
Porous structures, 813
Precipitation, 578
Primers, 900
Principal componenet analysis, 179
Proliferation, 295, 667
Protein, 121, 531
Protein Adsorption, 179
Protein adsorption, 158, 246, 475, 538, 548
Protein conformation, 179
Protein release, 96
Protein scaffold, 1155
Proteoglycans, 11
Pseudomonas aeruginosa, 1276
Pull-out test, 26
PV-sugar, 1351
Rabbit, 44
Rabbit model, 496
Radial-flow chamber, 658
Radiofrquency ablation, 510
Radioisotope carrier, 751
Reactive oxygen species, 439
Regeneration, 467
Replacement, 1245
Residual stress, 886
Resorbable, 1009
Resorption, 713
Restoration failure, 78
RGD, 559
RGD peptide, 689
Ricinus Communis polyurethane, 235
Roughness, 719
Rous sacoma virus, 1072
RT-PCR, 679

Salt, 96
SBF immersion test, 413
Scaffold, 357, 467, 531, 938
Scaffold fabrication, 1228
Scaffolds, 121
SDS-PAGE, 475
Self-assembled monlayers, 548
Self-assembled monolayers, 158
Shape, 1196
Shear stress, 658, 689
Sheep, 112
Silica, 1001, 1131
Silicon carbide, 856
Silk, 559
Silver content, 401
Simulated body fluid, 104, 886
Simulated body fluid (SBF), 1305
Single crystal, 641
SiO_2-CaO, 674
Skin cells, 517
Small-diameter vessel, 834
Smooth muscle cell, 255
Smooth muscle cells, 1, 775
Sol-gel, 674, 1276
Solid freeform fabrication, 1228
Solubility, 1009
Solubility parameters, 900
Specific interaction, 1055
Sponge, 733
Stability, 856
Staining molecules, 376
Stainless steel, 674
Starch-based scaffolds, 87
Stent, 785
Sterilization, 637, 1033
Stoichiometry, 599
Strain, 1269
Strain rate, 208, 761
Streptococcus sanguis, 401
Streptococcus spp, 18
Subsurface defect, 276
Suface erosion, 1044
Surface analysis, 334
Surface engineering, 328
Surface mechanical properties, 350
Surface modification, 981, 1139
surface modification, 121
Surface oxide, 1123, 1320
Surface roughness, 524
Surface structure, 702
Surface texture, 918
Surface treatment, 112
Swelling, 1016
Swelling/degradation, 224

TCP/HAP, 1115
TEM-EDX, 1305
Temporomandibular joint disk, 761
Tensile properties, 224
Tensile testing, 524
TGF-β, 981
TGF-β1, 637
Thermoresponsive copolymers, 667
Thermo-responsive polymer, 1424
Thermo-reversible tissue engineering, 1310
Thrombosis, 785, 1320
Ti6A17Nb, 246
Ti6A14V, 246
Time constant, 1320
Tissue culture, 1310
Tissue distribution, 510
Tissue engineering, 54, 148, 191, 255, 295, 303, 357, 531, 960, 1139, 1170, 1228, 1384, 1430
Tissue-engineering, 538
Tissue engineering scaffolds, 1401
Tissue factor, 792
Tissue-inducing biomaterials, 944
Tissue reaction, 1044
Tissue reactions, 838
Titanium, 26, 112, 421, 431, 684, 702
Titanium implant, 1155
Titanium mesh, 960
Titanium metal, 1305
Titanium nitride, 138
Titanium oxide, 702
Titanium surfaces, 344
3T3-L1 fibroblasts, 138
T Lymphocyte, 626
ToF-SIMS, 179
Tomato lectin, 369
Topography, 1025
Transepithelial electrical resistance, 609
Trehalose, 179
Tresylchloride, 684
Tricalcium phosphate, 1163
Trilayers, 828
Trypsin, 679
TSDC measurement, 413
Tubule, 78
Tyrosine phosphorylation, 439

UHMWPE, 908
Ultrahigh molecular weight polyethylene, 276
Ultrastructure, 713
Ultraviolet irradiation, 1188
UV-modified polymer, 130

Valve endothelial cell, 538
Vascular endothelial cell growth factor, 1072
Vascular graft, 255, 303
Vascular smooth muscle, 295
Vascular smooth muscle cells, 130
Viscoelasticity, 208, 761
Vitronectin, 448
Volume fraction, 952

Wear resistance, 200
Wound dressing, 637

XPS, 158
X-ray photoelectron spectroscopy, 684

Young's modulus, 886

Zeta potential, 1305
Zinc, 1115
Zirconia, 200